

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:



LISTING OF CLAIMS

Claims 1 - 21 (Cancelled)

-22- (Currently Amended)

An antihelminthic composition which comprises:

(a) at least one anthraquinone of the formula:




wherein R_1 , R_2 , R_3 , and R_4 are selected from the group consisting of hydrogen, hydroxy, halogen, R_3 or R_4 is methyl, R_1 acetoxy, COOH , $\text{O-}\beta\text{-D-glucopyranoside}$, and R_2 -O-malonyl- (1-6 $\text{O-}\beta\text{-D-glucopyranoside}$ groups, which provides antihelminthic activity, R is selected from the group consisting of methyl, hydroxy, hydroxymethyl, COOH , and methyl- $\text{O-}\beta\text{-D-glucopyranoside}$ groups, and the halogen is selected from the group consisting of I , F , Br , and Cl , but not 1,2,8-trihydroxy-3-methyl anthraquinone or 1,8-hydroxy-3- R -anthraquinone where R is methyl, hydroxyl, hydroxymethyl or COOH ; and

(b) a pharmaceutically acceptable carrier, wherein the composition contains between about 1 and 1,000 micrograms of the anthraquinone per milliliter or gram of the carrier.

-23- (Previously Amended)

An antihelminthic composition which comprises:

(a) at least one anthraquinone of the formula:



wherein R is selected from the group consisting of hydroxymethyl, COOH , and $\text{-methyl-O-}\beta\text{-D-glucopyranoside}$ groups; and

Appln. No. 10/761,071
Amdt. Dated: March 10, 2006
Attorney Docket No.: MSU 4.1-691
Reply to Office Action of 03/01/2006

(b) a pharmaceutically acceptable carrier, wherein the composition contains between about 1 and 1,000 micrograms of the anthraquinone per milliliter or gram of the carrier.

-24- (Previously Amended)


An antihelminthic composition which comprises:

(a) at least one anthraquinone selected from the group consisting of 1-hydroxy-2-acetyl-3,6-methyl anthraquinone, 2-acetyl-3,6-methyl anthraquinone monoacetate, 1-hydroxy-2-acetyl-3,7-methyl anthraquinone, 2-acetyl-3,7-methyl anthraquinone monoacetate, 1,8-dihydroxy-2-O- α -D-glucopyranoside anthraquinone, 1,2,8-trihydroxy-3-hydroxymethyl anthraquinone, and 1,8-dihydroxy-3-carboxy anthraquinone; and

(b) a pharmaceutically acceptable carrier, wherein the composition contains between about 1 and 1,000 micrograms of the anthraquinone per milliliter or gram of the carrier.


-25- (Previously presented)

An isolated and purified anthraquinone which has the formula:




-26- (Previously presented)

An isolated and purified anthraquinone which has the formula:




-27- (Previously presented)

An isolated and purified anthraquinone which has the formula:




-28- (Previously presented)

An isolated and purified anthraquinone which has the formula:




-29- (Previously presented)

An isolated and purified anthraquinone which has the formula:




-30- (Previously presented)

An isolated and purified anthraquinone which has the formula:




-31- (Previously presented)

An isolated and purified anthraquinone which has the formula:



-32- (Previously presented)

An isolated and purified anthraquinone which has the formula:



-33- (Previously presented)

An isolated and purified anthraquinone which has the formula:

